



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Cholera cases and deaths reported from the provinces of the Philippines.

Province.	Cases.	Deaths.	Province.	Cases.	Deaths.
Bohol.....	9	7	Cagayan.....	59	41
Capiz.....	8	8	Sorsogon.....	30	20
Cebu.....	7	4			
Pampanga.....	1	1	Total.....	116	82
Rizal.....	2	1			

Consular bills of health issued at the port of Manila as follows:

April 6, the British steamship *Aymeric*, with 34 crew, en route from Newcastle to Cebu, granted a supplemental bill of health. April 7, the British steamship *Otterburn*, with 36 crew, en route from Newcastle to Iloilo, granted a supplemental bill of health. April 7, the British steamship *Cranley*, with 47 crew, en route from Norfolk to Cebu, granted a supplemental bill of health. April 10, the British steamship *Clan McInness*, with 60 crew, en route from Surabaya to San Pedro and San Francisco, Cal., granted a supplemental bill of health, after the usual inspection of personnel and cargo.

RUSSIA.

Report from Libau—Status of cholera in St. Petersburg—Typhus fever in Libau—Examination of emigrants.

Acting Assistant Surgeon De Forest reports, May 7:

Cholera in St. Petersburg from April 29 to May 6, inclusive: 12 cases and 4 deaths. During the past week 1 death from typhus fever occurred in Libau. No new cases.

The steamship *Estonia* sailed May 4 with 632 emigrants on board. All had been in Libau under observation for 5 days, and left here in good physical condition; 119 pieces of baggage disinfected.

FOREIGN AND INSULAR STATISTICAL REPORTS OF COUNTRIES AND CITIES—UNTABULATED.

AFRICA—*Kimberly*.—Month ended April 10, 1909. Estimated population, 44,141. Total number of deaths, 60, including 1 from enteric fever.

ALGERIA—*Bona*.—Month of April, 1909. Estimated population, 42,000. Total number of deaths, 138, including smallpox 13, enteric fever 1, typhus fever 3, whooping cough 2, and 18 from tuberculosis.

ARGENTINA—*Buenos Aires*.—Month of January, 1909. Estimated population, 1,193,148. Total number of deaths, 1,461, including enteric fever 22, smallpox 1, measles 10, scarlet fever 2, whooping cough 2, diphtheria 7, leprosy 1, and 208 from tuberculosis.

Month of February, 1909. Total number of deaths, 1,142, including smallpox 2, enteric fever 26, scarlet fever 3, diphtheria 4, whooping cough 1, and 128 from tuberculosis.

AUSTRALIA.—Quarter ended December 31, 1908. Estimated population, 4,263,782. Total number of deaths, 10,958, including enteric fever 110, measles 28, scarlet fever 19, whooping cough 55, diphtheria 83, plague 1, leprosy 2, and 985 from tuberculosis.

Newcastle district.—Month of February, 1909. Estimated population, 63,760. Total number of deaths, 46, including enteric fever 3, and 3 from tuberculosis.

BRAZIL—*Rio de Janeiro*.—Month of November, 1908. Estimated population, 827,669. Total number of deaths, 1,706, including enteric fever 4, smallpox 499, measles 15, scarlet fever 2, whooping cough 1, diphtheria 6, plague 14, leprosy 1, beriberi 3, and 277 from tuberculosis.

Month of December, 1908. Total number of deaths, 1,633, including enteric fever 9, smallpox 287, measles 8, whooping cough 3, diphtheria 7, plague 18, leprosy 3, beriberi 1, and 306 from tuberculosis.

São Paulo, Santos, and Campinas.—Two weeks ended March 28, 1909. Estimated population, 300,000. Total number of deaths, 342, including measles 4, enteric fever 5, diphtheria 2, whooping cough 1, and 34 from tuberculosis.

CANADA—*British Columbia—Vancouver*.—Month of April, 1909. Estimated population, 66,500. Total number of deaths, 54, including whooping cough 2 and 4 from tuberculosis. Cases: Smallpox 1, measles 80, scarlet fever 7, diphtheria 3, whooping cough 50, and enteric fever 5.

CUBA.—Month of January, 1909. Estimated population, 2,146,139. Total number of deaths, 2,218, including enteric fever 12, measles 9, scarlet fever 2, whooping cough 12, diphtheria 21, leprosy 4, and 295 from tuberculosis.

EGYPT—*Alexandria*.—Month of March, 1909. Estimated population, 420,000. Total number of deaths, 958, including smallpox 4, enteric fever 10, scarlet fever 25, diphtheria 18, measles 39, and 92 from tuberculosis.

FRANCE—*Calais*.—Month of April, 1909. Estimated population, 80,000. Total number of deaths, 120, including scarlet fever 3, enteric fever 1, measles 3, whooping cough 1, and 29 from tuberculosis.

Marseille.—Month of April, 1909. Estimated population, 517,498. Total number of deaths, 923, including diphtheria 9, enteric fever 21, smallpox 3, scarlet fever 3, whooping cough 1, measles 47, and 132 from tuberculosis.

GERMANY—*Bavaria—Munich*.—Month of March, 1909. Estimated population, 556,000. Total number of deaths, 1,020, including scarlet fever 14, enteric fever 1, measles 25, diphtheria 13, whooping cough 11, and 164 from tuberculosis.

GREAT BRITAIN—*England and Wales*.—The deaths registered in 76 great towns in England and Wales during the week ended May 1, 1909, correspond to an annual rate of 14.5 per 1,000 population, which is estimated at 16,445,281.

London.—One thousand three hundred deaths were registered during the week, including measles 81, scarlet fever 10, diphtheria 8, enteric fever 1, whooping cough 41, tuberculosis 137, and 12 from diarrhea. The deaths from all causes correspond to an annual rate of 14.0 per 1,000. In Greater London 1,879 deaths were registered. In the "outer ring" the deaths included 11 from measles, 3 from diphtheria, 3 from scarlet fever, and 5 from whooping cough.

Ireland.—The average annual death rate represented by the deaths registered during the week ended May 1, 1909, in the 21 principal town districts of Ireland was 20.6 per 1,000 of the population, which is estimated at 1,142,308. The lowest rate was recorded in Kilkenny, viz, 4.9, and the highest in Tralee, viz, 47.6 per 1,000.

Scotland.—The deaths registered in 8 principal towns during the week ended May 1, 1909, correspond to an annual rate of 16.9 per 1,000 of the population, which is estimated at 1,839,038. The highest rate of mortality was recorded in Glasgow, viz, 18.1, and the lowest in Greenock, viz, 13.0 per 1,000. The aggregate number of deaths registered from all causes was 605, including diphtheria 5, measles 2, scarlet fever 5, enteric fever 3, and 55 from whooping cough.

ITALY—Genoa.—Month of April, 1909. Estimated population, 279,163. Total number of deaths, 632, including diphtheria 5, enteric fever 2, measles 29, scarlet fever 8, and 40 from tuberculosis.

Turin.—Annual report for the year 1908. Estimated population, 381,439. Total number of deaths, 7,132, corresponding to an annual death rate of 18.7 per 1,000 of population, including scarlet fever 25, enteric fever 51, measles 94, diphtheria 74, whooping cough 20, and 1,090 from tuberculosis.

JAMAICA—Kingston.—Month of April, 1909. Estimated population, 52,065. Total number of deaths, 150, including enteric fever 8, and 16 from tuberculosis.

MALTA.—Four weeks ended April 24, 1909. Estimated population, 209,974. Total number of deaths, 307, including 18 from tuberculosis.

NEW ZEALAND—Auckland.—Month of February, 1909. Estimated population, 75,345. Total number of deaths, 75, including enteric fever 1, and 6 from tuberculosis.

Wellington.—Month of February, 1909. Estimated population, 73,697. Total number of deaths, 35, including 4 from tuberculosis.

Christchurch.—Month of February, 1909. Estimated population, 62,096. Total number of deaths, 42, including 3 from tuberculosis.

Dunedin.—Month of February, 1909. Estimated population, 61,279. Total number of deaths, 56, including diphtheria 2, and 6 from tuberculosis.

SIAM—Bangkok.—Month of March, 1909. Estimated population, 300,000. Total number of deaths not reported, including smallpox 18, and 4 from plague.